



ImageVault  
Version 5.18

### Copyright

This manual is protected by international copyright law. No changes of content or reproduction of parts of this publication are allowed without permission from the publisher.

## Contents

<b>1.</b>	<b>Introduction .....</b>	<b>7</b>
1.1.	Manual conventions .....	7
1.2.	Manual instructions .....	7
1.3.	Relation to other manuals .....	7
1.4.	Authenticaton.....	7
<b>2.</b>	<b>Start .....</b>	<b>8</b>
2.1.	ImageVault functionality .....	8
2.1.1.	Vaults .....	8
2.1.2.	Categories.....	8
2.1.3.	Metadata.....	9
2.2.	Login.....	10
<b>3.</b>	<b>User interface .....</b>	<b>11</b>
3.1.	User interface overview.....	11
3.1.1.	Categories.....	13
3.1.2.	Vault selection .....	14
3.1.3.	File preview .....	16
3.1.4.	File information and metadata.....	17
<b>4.</b>	<b>Importing files .....</b>	<b>18</b>
4.1.	Upload.....	18
4.2.	Organizing files.....	20
4.2.1.	Analyze image .....	23
4.3.	Mobile interface .....	25
<b>5.</b>	<b>Search .....</b>	<b>26</b>
5.1.	Category search.....	26
5.2.	Free text search.....	27
5.3.	Search scope.....	29
<b>6.</b>	<b>File download .....</b>	<b>30</b>
6.1.	Download & conversion .....	30
6.2.	Mobile interface .....	31
<b>7.</b>	<b>Organize files .....</b>	<b>32</b>
<b>8.</b>	<b>Move files .....</b>	<b>33</b>
<b>9.</b>	<b>Share files .....</b>	<b>34</b>
9.1.	Create share.....	34
9.2.	Mobilt interface.....	36
9.3.	View shared files.....	37

9.4.	Managing shared files .....	38
9.5.	Remove share.....	39
<b>10.</b>	<b>External link .....</b>	<b>40</b>
10.1.	Create external link.....	40
10.2.	Editor .....	41
<b>11.</b>	<b>Version control .....</b>	<b>43</b>
11.1.	Working with versioning .....	43
11.2.	Adding a new version .....	43
11.3.	Categories.....	44
11.4.	Metadata.....	44
<b>12.</b>	<b>Traceability .....</b>	<b>45</b>
12.1.	Present usage.....	45
12.2.	Define where a file is used .....	46
<b>13.</b>	<b>Information icons .....</b>	<b>47</b>
13.1.	Define icon.....	48
13.2.	Define text.....	48
<b>14.</b>	<b>Working with several files simultaneously .....</b>	<b>49</b>
14.1.	Mark several files .....	49
14.2.	Adding files to a batch area .....	50
14.3.	Clear batch .....	50
<b>15.</b>	<b>Collections.....</b>	<b>51</b>
<b>16.</b>	<b>Agreements.....</b>	<b>53</b>
16.1.	New agreement .....	55
16.2.	Edit Agreement.....	56
16.3.	Connect files to agreement.....	56
<b>17.</b>	<b>Text video.....</b>	<b>57</b>
17.1.	Create text tracks .....	57
17.2.	Speech to text.....	61
17.3.	Disable track.....	62
17.4.	Delete track.....	62
17.5.	Edit track .....	63
17.6.	Export track.....	63
17.7.	Import track .....	64
<b>18.</b>	<b>Delete files.....</b>	<b>65</b>
<b>19.</b>	<b>Area Of Interest .....</b>	<b>66</b>
<b>20.</b>	<b>Advanced settings.....</b>	<b>67</b>



20.1.	Global rights .....	68
20.2.	Metadata definitions.....	69
20.2.1.	Add mapping .....	70
20.3.	Media formats .....	71
20.3.1.	Export metadata.....	74
20.4.	Categories.....	75
20.4.1.	Rename or delete a category .....	76
20.4.2.	Add main or sub level category .....	76
20.4.3.	Add a category from the main user interface.....	76
<b>21.</b>	<b>Vault administration .....</b>	<b>78</b>
21.1.	Add vault .....	78
21.2.	Modify Vault.....	81
<b>22.</b>	<b>Collection administration.....</b>	<b>83</b>
22.1.	Add collection .....	83
22.2.	Modify collection .....	83
<b>23.</b>	<b>Administration of users .....</b>	<b>85</b>
<b>24.</b>	<b>Signing out from ImageVault.....</b>	<b>86</b>
<b>Appendix I, connection EPiServer.....</b>		<b>87</b>
<b>25.</b>	<b>Start .....</b>	<b>87</b>
25.1.	Insert media files from ImageVault .....	87
25.2.	Add images to the text editor field .....	88
25.2.1.	Image editor .....	90
<b>26.</b>	<b>ImageVault page properties.....</b>	<b>93</b>
26.1.	Media property .....	93
26.2.	Media list property.....	94
26.2.1.	Batch insert images into a Medialist.....	95
26.2.2.	Rearrange Medialist images.....	95
26.2.3.	Edit images in a Media or Medialist object .....	95
26.3.	EPiServer Gadget.....	97
<b>27.</b>	<b>Administer Media or Medialist page properties.....</b>	<b>98</b>
<b>Appendix II, connection SharePoint .....</b>		<b>101</b>
<b>28.</b>	<b>Start .....</b>	<b>101</b>
28.1.	Insert media files from ImageVault .....	102
28.2.	SharePoint text editor .....	102
28.3.	Image editor.....	103
<b>29.</b>	<b>SharePoint web parts.....</b>	<b>105</b>
29.1.	ImageVaultMedia.....	105

29.2.	ImageVault Gallery .....	107
29.2.1.	Chose files manually .....	108
29.2.2.	Chose files via filter .....	109
29.3.	ImageVault Slideshow .....	111
<b>30.</b>	<b>Define web part .....</b>	<b>112</b>
	<b>Appendix III, Connection Office .....</b>	<b>113</b>
<b>31.</b>	<b>Start .....</b>	<b>113</b>
31.1.	Insert files from ImageVault to a Word document.....	114
31.2.	Insert files from ImageVault in PowerPoint document. ....	114
	<b>Appendix IV, connection InDesign .....</b>	<b>116</b>
<b>32.</b>	<b>Start .....</b>	<b>116</b>
32.1.	Insert files from ImageVault to InDesign .....	117
	<b>Appendix V, connection SiteVision .....</b>	<b>119</b>
<b>33.</b>	<b>Start .....</b>	<b>119</b>
33.1.	Insert files from ImageVault to SiteVision .....	120
33.2.	Select files from ImageVault .....	122
33.3.	To work with selected file .....	123
33.4.	Insert video .....	126
	<b>Appendix VI, ImageVault Media Gallery .....</b>	<b>127</b>
<b>34.</b>	<b>Start .....</b>	<b>127</b>
34.1.	Interface.....	128
34.2.	Preview .....	130
34.3.	My selection.....	131
34.4.	Create link .....	132
34.5.	Download files .....	133
34.6.	Remove files .....	134
34.7.	Administrate ImageVault Mediagallery .....	135

## 1. Introduction

Welcome!

ImageVault is a web based file repository, which simplifies handling and storing of different media files. The basic function of ImageVault is to store files on a central server, so everyone in an organisation can access, and use the files. ImageVault also has more advanced functions, such as ability to add metadata and conversion into standardized file formats. Additional file formats will be available by using third party plugins. ImageVault is based on common web standards and is very intuitive and easy to use. Basic internet browser skills are recommended.

### 1.1. Manual conventions

Certain typographic conventions are used in this manual.

Running text is presented in the Gill Sans font. Notes, tips and warnings are presented in bold.

**Note!** A note highlights important information.

**Tip!** A tip contains an advice or an easier way to do something.

**Warning!** A warning highlights that a problem that might occur and how to avoid it.

### 1.2. Manual instructions

This manual is divided into two main sections. The first section gives a comprehensive description of how ImageVault is functioning and how to find your way in the user interface. The second part will contain a number appendix describing ImageVault connected to other systems.

### 1.3. Relation to other manuals

This manual is sufficient reading for the average user of the standalone version of ImageVault, or ImageVault connectect to other system.

However will a training course provided by Meriworks be recommended.


Documentation aimed towards installation and development is only available online. The online documentation for ImageVault can be found online at <http://www.imagevault.se>.

### 1.4. Authentcation

ImageVault utilizes federated authentication using claims based identities. It uses the Windows Identity Foundation (WIF) as authentication layer and can be connected to an existing Identity provider (Idp). You can read more about Federated authentication and WIF at [http://en.wikipedia.org/wiki/Windows\\_Identity\\_Foundation](http://en.wikipedia.org/wiki/Windows_Identity_Foundation) .

## 2. Start

To be able to use ImageVault an account with view or contribute permissions is needed. When logged in will ImageVault UI with functionality based on rights for actual user be available.



### 2.1. ImageVault functionality

ImageVault acts as a central repository for files. All users have access to this repository, to store and download files. The system helps the users to build a structured environment for the files with storage vaults, metadata and category tagging to facilitate easy search and access.

The files only need to be stored once, but can be converted into multiple file formats. ImageVault also helps with file conversion, since several standard conversion formats can be easily set up. Images taken straight of a high resolution digital camera can be used and image conversion and size altering are applied to convert the image to a suitable format.

ImageVault helps file categorization by allowing users to add properties to the uploaded files. This is metadata in the form of categories and metadata fields which makes it much easier for other users to find and use the uploaded files. User access is controlled by vaults.

Below follows a short explanation of some of the key features in ImageVault 4.0.

#### 2.1.1. Vaults

A vault is a storage area in ImageVault, with user rights similar to a file folder. Different types of user access control can be added to a vault, i.e to prevent accidental deletion of files or simply to restrict access to certain files. A vault cannot have sub levels. Different metadata definitions can be tailored for each vault.

#### 2.1.2. Categories

Categories are predefined file properties that will facilitate easier search for files. The number of categories is unlimited, but a limited number should be added or created during setup. Sub categories can be added, but a maximum of 2 levels below the top level.

### 2.1.3. Metadata

Metadata are additional information fields that can be added to files. This can for example be the name of the photographer or an additional description of the file. Metadata can also be information stored in a file like IPTC or EXIF data.

## 2.2. Login

Browse to the start web address supplied by site specific documentation or your system administrator to start ImageVault. Login with the credentials supplied by your administrator.

**Note! Refer to site-specific documentation or your ImageVault administrator for information on how to login on your server.**

### 3. User interface

The ImageVault user interface consists of 6 main areas, see picture below.



Main user interface

#### 3.1. User interface overview

##### File display area

All available files are displayed as preview thumbnails in the file display area. The number of visible files will depend on current vault content, current user access rights, search results or category selections.

##### Activity area

Under **Advanced settings**, users with administrative rights are able to maintain systemwide settings for ImageVault. In the activity area there is a search bar which is used to filter available mediafiles based on a free text search.

There are also a number of operations available that will affect the selected media in the File display. Many of these buttons are activated- and inactivated based on current users rights to the selected media. The available operations are import-, download-, move-, share- and categorize media. The button called **...More** is a menu, in which you can maintain shares and versioning for the selected media. The insert button will insert files into a cms. The button is only active if ImageVault is connected to a cms.

##### Category and library area

The categories section displays all available categories in the system. Selecting a category will filter which files that are displayed. The library section displays all vaults available on the server. All vaults might not be visible to all users thanks to user access rights.

#### Batch operation area

The batch area collects selections of files. It is possible to share, perform category or metadata batch operations or download all files.

#### Information/Metadata section

The information and metadata section will display information about a selected file.

#### Settings area

The settings area holds buttons for adding vaults, modifying categories and sort order.

Vaults are described more in chapter 3.1.2 “Vault selection”. More information about categories can be found in chapter 20.4 “Categories”.


The sort order can be toggles between “Newly added first” which will display the most recent files that have been added to the system or “Name by A-Z”. This choice will display the media files sorted by name.

**Note! Vaults and categories can only be created by a user with administrative privileges.**



### 3.1.1. Categories

Categories are predefined metadata that can be added to a file. This is one of the fastest way to filter media files, except for search, and should be used as the main navigation method.




#### Categories


A category can have 2 sub levels. It is possible to filter files that have been tagged with a specific category keyword.

Categories should be used to group files that share a common property. Multiple categories can be combined to further narrow the search result.

Initial will outcome be files with at least one chosen categories, if Exact match is activated must file have all chosen categories.





Via Search category, it is possible to select so that only a special selection of categories is presented.



### 3.1.2. Vault selection


Select a vault by activating the library tab and select the vault. All images in the selected vault will be displayed.

*The current vaults name will be displayed at the top of the file displayed area.*



Initially only one vault will be chosen. If 'Select multiple' is activated, it is possible to combine several vaults.

To display the contents of all vaults, select **All items**. This will display all files currently in the system that the user has access to. This is also the default setting when a user logs into the system.




Vault selection


A search will be limited to the current vault(s). See section 5 “Search” for more info.

**Note! Vaults can have different user access. All vaults will not be visible to all users.**

### 3.1.3. File preview



File preview is initiated by clicking on preview symbol, double-clicking the selected object or by pressing Return key with an object selected. File preview is ended by clicking the close button or pressing the Esc key.



When using file preview the user can change what object to view by clicking the left or right navigation buttons. This can also be done using the left or right arrow keys. Arrow key up or down will move one row up or down.


If the previewed object is a video, you can play and pause using the Spacebar.

### 3.1.4. File information and metadata

File information and metadata for a selected file will be displayed in the information area. File information will typically be image height and width, date of upload and current vault name.

File metadata can be metadata manually added by a user during upload. The administrator will setup which fields and what information that should be added during a file upload. Metadata fields can be customized for each vault, meaning that some vaults can have more metadata fields that need to be filled out and others fewer.

It is also possible to harvest automatic metadata. Digital images or media files normally contain metadata. This can be IPTC or EXIF data, i.e focal length of the lens used, serial number of the camera, GPS data. ImageVault can read this type of metadata during upload, without any user interaction, and save the data as file metadata.




Information	Metadata
<p><b>J2.JPG</b></p> <p><b>Id</b> 2559</p> <p><b>Vault</b> ImageVaultMediaGallery</p> <p><b>Date uploaded</b> 1/15/2018 3:07:41 PM</p> <p><b>Uploaded by</b> epiadmin</p> <p><b>Categories</b> Nature Pictures</p>	<p><b>User defined</b></p> <p><b>Användningsområde</b></p> <p><b>Benämning</b> Natt hamn</p> <p><b>Benämning 2</b> För ett par år sedan var vi ett stort gäng som möttes upp på Antiparos för att fira en väns födelsedag</p>

*File information and metadata*


## 4. Importing files

Import files by pressing the **Import files...** button. This will open the import files guide.



*Import file button*

### 4.1. Upload



 The screenshot shows the "Import files" interface. At the top, there are two dropdown menus: "From: My computer" and "To: ImageVaultMediaGallery". A blue arrow points from the text "Vault selection list" to the "To:" dropdown. Below these is a "Select files" section with a "Drag files here." area. At the bottom left, there is a blue "Add files" button and a grey "Start upload" button. A blue arrow points from the text "Add files button" to the "Add files" button. Below the main area are two blue informational bars: "Currently 5% of available video conversion is used." and "Currently, 40% of available video storage is used." At the very bottom, there are "Organize your uploads..." and "Cancel" buttons.



*Import files guide*



Select vault based on the target audience for the files by using the vault selection list.

Press the **Add files** button and select files from your local computer or network. Several files can be selected at once by using the normal operating system file browser. The files are added to the file selection area. This area will display the file status, where 0% represents that the file has not been uploaded yet and 100% represents that the file is uploaded to the server. The minus sign can be used to cancel the file upload for each the selected file.

## Import files



From:  My computer 

To:  ImageVaultMediaGallery 

Select files  
Add files to the upload queue and click the start button.

Filename	Size	Status
Lilleman.jpg	429 KB	0%

Add files Start upload

Start upload button

Upload status

Cancel

### File upload

Press the **Start upload** button, once all files are selected, to initiate the file upload. A progress bar will show the file upload status during upload. All files status counters should change to 100% once the file upload is complete.

**Tip! Browsers supporting HTML 5 allow you to drag and drop files as a complement to the “Add files” button.**

## 4.2. Organizing files


Press the **Organize your uploads...** button to tag the files with the proper category and metadata.

**Organize your uploads...** Cancel

*Organize uploaded files*

Metadata
Catogories

Organize your uploads
**Save** Cancel and delete files



Name  
Lilleman.jpg

Benämning  
Dog

Benämning 2  
Little dog laying on a blanket.

Beskrivning  
Will be added later...

Categories  
4 categories selected

- Djur
- Fordon
- Naturbilder
- Nature Pictures
  - Animal
  - Flowers, plants, trees
  - Landscape
  - Sea


**Save**
Cancel and delete files

*Adding category and metadata*

Correct file tagging, meaning adding categories and relevant information in the metadata fields, will make a file easier to find and increases the chance that a file is reused by other users. This is one of the cornerstones in a media database.


**Tip!** Taking the extra time during upload to add the correct properties to a file will make a huge difference when the system holds several hundred or thousands of files.






*Multiple files upload list*

The Organize upload page can be used in several ways. It is possible to add metadata and categories to all files listed in the upload list at once by using the menu buttons **Metadata** and **Categories** at the top of the page, rather than adding the information to one file at a time.



If an individual file needs specific information, it is easy to change this in the upload list. Adding metadata and category information to all files simultaneously during import is a time saver, since common properties can be added to all files and then fine-tuned for some of the uploaded files, if needed.



Press **Save** to complete the upload or **Cancel and delete** to cancel the upload.


**Note! Depending on the setup, certain metadata fields might be mandatory and must be filled out prior to completing the upload.**

**Note! Metadata fields and categories are setup during installation and maintained by the administrator.**

### 4.2.1. Analyze image

From version 5.16 of ImageVault, and that the cloud solution is used, you can get suggestions for tags for your image file, from version 5.18 you can also get a suggestion for a description. In the Organize dialog, it is possible to have the image analyzed via Azure AI..

Organize your uploads Save Cancel and delete files



Filename  
Natthamn (1).JPG

Categories

Agreements

Analyze Image

---

Save Cancel and delete files

A number of proposals are presented.

#### Tags

Outdoor ×

Ocean ×

Beach ×

Waterside ×

Sky ×

Water ×

Ship ×

Lake ×

Boat ×

Watercraft ×

Landscape ×

+

As a user, you can supplement with your own new ones, and delete the ones you do not want to use.

#### Tags

Outdoor ×

Ocean ×

Beach ×

Waterside ×

Sky ×

Water ×

Ship ×

Lake ×

Boat ×

Watercraft ×

Landscape ×

venue 2017 +

#### Tags

Outdoor ×

Ocean ×

Beach ×

Waterside ×

Sky ×

Water ×

Boat ×

Landscape ×

Conference venue 2017 ×

+

Description

Description

These are then searchable via free text search, see chapter Free text search.


Via Analyze all images, it is possible to get suggestions for all files

## Organize Files

 For all items: 

Only image files receive suggestions. For other files, it is possible to add your own tags and description.

## Organize item

Alt-text ⓘ

Categories

Agreements

Tags


Description

Filename

### 4.3. Mobile interface

To import files via mobile interface, the flow and functionality is the same, layout is a little different.

Activate Import files.




## 5. Search

Search enables the user to find files that have been uploaded by other users. Search can be performed either by using free text, category search, vault selection or a combination of the above.

### 5.1. Category search

It is also possible to search for files by using the category selection. Select one or more categories. Each selected category search will be presented in the file area. The displayed files will have all selected categories as properties.

Default will chosen categories add their outcome, i.e. files with Animal and files with Sea.




If Exact match is marked must files have both Animal and Sea.



Press the x at the search parameter to remove this item from the search or press **Clear all** to remove all search parameters.

Free text search and category search can be combined. Each search parameter will be listed after each other.




## 5.2. Free text search

The search bar is located at the top of the user interface. Input a search phrase and press enter. The search uses automatic wildcards meaning that a search for the word “field” will also find files tagged with “fields”.

If your ImageVault is hosted by ImageVault cloud solution it is possible to combine search phrases.

| between two different search phrases will find files with one of these search phrases.




+ between two different search phrases will find files with exact match of these search phrases.




- before search phrase will exclude files with that search phrase.


Note: - direct at phrase, no space.




\* after search phrase will find all files that start with phrase. (tr\* gives truck and tractor)



“ “ around search phrase gives files with exact phrase




( ) will give opportunity to create some more complex search phrase. Volvo + (suv sedan) will find all files with volvo and suv or sedan






### 5.3. Search scope

Free text search is based on selected Vault, Selection and Category. If All and no category chosen, all files in ImageVault will be presented.



Initially will all files from selected category's be presented.  
(All files with category Nature Pictures and Vehicle)

If Exact match marked, only files with both category Nature Pictures and Vehicle will be presented.



All will select files from all vaults.

If Select multiple marked, files from selected vault will be presented.

All will select files from all collections.


If Select multiple marked, files from selected collection will be presented

## 6. File download

Files can easily be downloaded and converted to predefined formats.


### 6.1. Download & conversion

Select a file in the file display area by single click and press the Download button.



Download button

This will display predefined file conversion settings. Select the one of the displayed formats. The original file format and size can be retained by selecting the Original format.




Download format presets

An operating system file download dialog will be displayed. Select a location where the file should be downloaded.

Note! The administrator can setup additional conversion formats.


## 6.2. Mobile interface

To download files in a mobile interface, the functionality is the same as in a computer, however, the flow and appearance are a little different.



## 7. Organize files

Metadata, category and other file information can be changed after a file has been uploaded. Select the file by single click in the file preview area and press the **Organize** button.



*Organize file*

The organize file dialog will be displayed. Modify the information and press **Save**. Press **Cancel** to abort the modification.

### Organize your file

**Save** Cancel



Keyword

Square, House, Well

Categories

Select categories

Name


Square

**Save**

Cancel


## 8. Move files

It is also possible to change which vault a file is stored in. Select the file by single click in the file preview area and press the **Move** button.



*Move file*

This will show a list of available vaults where the user has the rights to store the file.




The organize file dialog will be displayed. Modify the information and press **Save**. Press **Cancel** to abort the modification.

## 9. Share files

Sometimes files need to be shared with users without access to ImageVault.


### 9.1. Create share

Select a file in the file display area by single click and press the Share button.




Share file

A list of the available media formats is displayed.



Choose the format in which the file is to be shared. Then enter a name for the share. You can set a validity date for the share, either by entering a date in the format YYYY-MM-DD, or retrieve the date picker. If the date field is left blank, the division applies without a validity date. Then tap Next to create a link to the files. Press Cancel to exit without sharing the files.



Create share

**Tip! The share title is used for finding and managing the share as well as a heading when the share is presented to the recipient.**



## Create Share

---

Your share is now available at

<https://iv5test.imagevault.app/shares/cho73quee1>

and is filed under "Advertising agency".


Copy link

The share is now created and the link can be sent to the recipient through, for example, email. Click the **link** to see the result or click **Copy link** to copy the link to the system clipboard.


## 9.2. Mobile interface

To share files in a mobile interface, the functionality is the same as in a computer, however, the flow and appearance are a little different.

Select files Select files Select Show menu Select Share Select format




Name the share Enter an expiration date Copy link







### 9.3. View shared files

The resulting page shows preview thumbnails of the files and allows for downloading individual files, in the format that was chosen for the share, or the entire share as a single zip file.



The resulting share


Via the button  the entire share is downloaded, packed in a zip file. Icon  provides download of selected file.

**Note! The page that displays shares is a public page and does not require user authentication. Everyone who has access to the link will have access to the shared material.**

**Note! For shared pages to work for everyone, ImageVault must be reachable over the Internet. This may limit access to shared material, for example when using intranets. Contact your network administrator for more information.**


## 9.4. Managing shared files

In the file display area, shared files have an icon on the thumbnail.



Shared file


This is to distinguish files that are included in one or more shares. If the file is selected, under More and Shares will all shares be listed.



View Shares

**View Shares** is used to manage current shares.

The default view when managing shares shows all shares for the file that the current logged in user has created.


Charlie.jpg is included in the following shares:

×

My shares
  All shares

<input type="checkbox"/>	Name	Date	File count	Expiry date	Created by	
<input type="checkbox"/>	Dog	2020-09-23	1		epladmin	<a href="#">Copy link</a> <input type="button" value="🔍"/>
<input type="checkbox"/>	Advertising agency	2020-09-23	1	2020-09-30	epladmin	<a href="#">Copy link</a> <input type="button" value="🔍"/>

### My shares

Clicking **All shares** will instead show shares for the file by every user.


To easier find a specific share, the list can be sorted by clicking on respective column header, e.g. **Name**, **Date**, **File count** **Expiry date** or **Created by**. You can also filter the list by entering a search term and clicking **Search**.

Click on the name of the share or the magnifying glass to view the shared files. **Copy link** copies the link to the system clipboard.

## 9.5. Remove share

When a file no longer needs to be shared the share can be removed.



Select one or more shares and click **Remove selected shares**. The checkbox in the header row will select all shares.



Charlie.jpg is included in the following shares:

Search for share

My shares  All shares

<input type="checkbox"/>	Name	Date	File count	Expiry date	Created by	
<input type="checkbox"/>	Dog	2020-09-23	1		epladmin	Copy link 
<input checked="" type="checkbox"/>	Advertising agency	2020-09-23	1	2020-09-30	epladmin	Copy link 

Cancel


Remove share

**Note! Visiting a link to a share that has been removed will display a message that the share no longer exists.**

## 10. External link

It is a possibility to create an external link, to use in for example, social media, within a document or in a CMS. This external link could be as an ordinary URL or of type embed code.

### 10.1. Create external link Publish



Select an object and click on Publish.  
Choose wanted format.  
(Only available for pictures)



Selected object will now be presented within the editor where user could edit it before creating an external link.



External link is created by click on Publish (Create link or..) button.



Copy embed code:  
Copy embed code.  
Copy link:  
Copy link, URL.




Show link and embed code:  
Show URI and embed code, where embed code is possible to rewrite.



## 10.2. Editor

It's possible to edit selected object before external link is created.



Ratio locked




Ratio unlocked.

By default, the ratio locked, and the ration cannot be changed.

Clicking the ikon will enable the user change both size and ratio.

If selected object is a video, it's possible to cut and use part of video. **NOTE:** This will not change original video stored in ImageVault.

Editera fil



The screenshot displays the video editing interface. At the top, a video player shows a scene with several birds on a grassy hill under a blue sky. The video player has a progress bar with a playhead at 00:00:03. Below the video player, there are two detailed views of the timeline. The left view shows a video segment from 00:00:00 to 00:00:03, with a red playhead at 00:00:03. A blue arrow labeled 'Adjust finely' points to the start handle at 00:00:00. A small thumbnail of the video frame is shown above the playhead. The right view shows a video segment from 00:00:27 to 00:00:30, with a red playhead at 00:00:27. A blue arrow labeled 'Adjust finely' points to the start handle at 00:00:27. A small thumbnail of the video frame is shown above the playhead. A blue arrow labeled 'Adjust' points from the playhead of the left view to the playhead of the right view. In the top right corner, there is a blue button labeled 'Publicera (skapa länk och inbäddningskod)' and a link icon labeled 'Avbryt'.


By grabbing and drawing the handles it's possible to adjust start and stop position of the video. By using the fine controls you can adjust by seconds. Time for start and stop, actual and total length will be presented to the user.

## 11. Version control

ImageVault supports versioning of media files i.e. the possibility to replace an existing media file with a new one. Immediately after such replacement has been issued, all subsequent requests for that specific media will return the new version.

### 11.1. Working with versioning

Whenever you want to update an existing media item, you will have to find- and select that media in the file display. With the media selected, the **...More** button will be enabled in the activity area. By clicking the button, a menu will be revealed, containing a menu item named **Versions**. Clicking that menu item will bring up the Versioning dialog.



The versioning dialog displays a list of versions for the selected media item. There is always one version set to **Current** that represents current version of the media. Above the list there are column headers that may be used for sorting the list. Just by clicking the desired header, the list will be sorted by the content of that column. A second click on the same header will reverse the ordering.

**Note! If you do not have contribute access to the vault where the item resides, all buttons except the Close button will be inactive.**

If you want to replace current version with another existing version in the list, you just click the corresponding **Use this** button on the right end of the row. After confirming the replacement, current version of the media will be updated.

### 11.2. Adding a new version


If you would like to add a new version of current media, you simply click the **Add new version** button in the top-left corner of the dialog and the following dialog shows up:

×

## Add new version

---

Upload a file you would like to use to replace the current version of the asset.


→

Drop a file here or click to select a file to upload.

Enter comment here

Cancel
Save

In this dialog you upload a replacement media file and set it as current version of the media.

You can upload a media file by dragging it into the marked area and then drop it.

It is also possible to upload a media file just by clicking in the marked area, after which an open file dialog will show up.

Once the media file is dropped/selected the upload will start automatically. The upload is finished when you can see the thumbnail. It is possible to replace this selection with another media file by repeating the drag-and-drop operation or by clicking in the marked area again. You can also enter a commentary text that describes the new version. Click **Save** if you want to go ahead with the replacement, else you discard the upload by clicking **Cancel**.

### 11.3. Categories

Categories assigned to the media item are not versioned and will be unaffected any changes to the current version.

### 11.4. Metadata

Metadata is versioned and a new version will add its own metadata when uploaded. Any user metadata will be copied from the old version to the new when uploading a new version.

**Note! User metadata will NOT be copied from the current version when selecting an already uploaded version as the current version.**




## 12. Traceability

ImageVault contains a functionality that will make it possible to trace where files are used.


### 12.1. Present usage

There is two different ways to see where a file is being used:

1: In the summary below Published on, when the current file is marked.



A list of where the current item is used will appear.



Examples of possible publishes could be:

1: External link: with information about where it's published shown with a clickable link.

2: Share: where the current names of the shares are presented.

3: Publish on site: name of site, page and property is presented.

In the case of several formats being used, e.g. original, edited, thumbnail etc they will be presented within a expandable list.

## 12.2. Define where a file is used


When creating an external link, it will be possible to define where the file shall be published and define a clickable link.

Specify where the file will be used (free text)

and /or

Specify link to publish place

In the dialogue for create/edit vault it will be possible to set the definition as mandatory or not.



ImageVaultMediaGallery

General Access rights Metadata definitions

Name  
ImageVaultMediaGallery

Description

Trace file usage on publish (required) *i*

Force user to specify where published files for external link and embed code will be used


### 13. Information icons

It's possible to mark files in ImageVault with one or several icons containing information. When the user places the cursor over an icon the defined information will be presented.


Three different types of icons exists:

Information:  Warning:  Stop:  Camera: 


For example:



### 13.1. Define icon

When defining a metadata type it's possible to connect an icon. The icon is selected from a drop-down menu in the Metadata definition's dialogue within  **Advanced settings**.

#### Advanced settings



Global rights **Metadata definitions** Media formats Categories


Information  Text

Mappings [Add mapping](#)  Read only  Multilingual


Keyword


Information  
Choose symbol  
Warning  
Information  
Stop

### 13.2. Define text

In the “Organize dialogue”,  **Organize** you can add your preferred text manually for the symbols.

#### Organize item





Although dogs look very different from people,

Categories

Agreements

## 14. Working with several files simultaneously

It's possible to work with several files simultaneously, and all features are available if files are in the same vault, or All items chosen, mark files and chose feature. If files are in different vaults, mark files in the current vault and collect these in the batch area.

### 14.1. Mark several files

It's possible to mark several files in a few different ways:


1: Press Ctrl key and click on files to mark them. (For Mac cmd key)



2: Press Shift key and click on first and last file in a sequence.




3: Mark files via klick and drag with mouse.




## 14.2. Adding files to a batch area

1: Click on Add to batch.



2: Drag files down to batch area.



## 14.3. Clear batch

Clear files from batch via press X on each file, or clear all via click on Clear batch.






## 15. Collections

Only users with administrator privileges can see and use collections.

Collections are a number of files that stick together where content could come from different vaults. A collection will act as a foundation for what's presented in ImageVault Mediagallery.

Collections will be find direct under vault structure.




Mark files and draw them direct to chosen collection.



To add more files, repeat.

To remove files from a collection, mark files and press Remove from collection.  
Note, files will be removed from collection directly without any approval. File(s) will only be removed from actual collection, not from ImageVault






## 16. Agreements

Via Agreements it's possible to connect a consent or similar to a file in ImageVault. An agreement can be found via search for Id or content within field Comment. An agreement can be connected to one or several files, and a file can be connected to one or several agreements.

An icon will indicate that a file is connected to an agreement.




Different colour will indicate status of agreement:

Green: Valid agreement without restriction


Yellow: Valid agreement with restriction less than three months

Red: Not valid agreement

Agreements are collected under tab Agreements. While marking one agreement all connected files will be presented.




When marking one file, all connected agreements will be presented under Information. Click on one agreement and a dialogue for editing actual agreement will show up.




## 16.1. New agreement

To create a new agreement, click on + and choose Agreement.




This will initiate dialog for create new agreement.



**ID:** Unique id for actual agreement, searchable, mandatory.

**Valid to:** Date that state latest validiti. If no date, agreement will be valid ongoing.

**Legal basis:** Swedish "Dataskyddsförordningens" six reason for handling of personal data, mandatory.




**Add file(s):** Connect up to three files that will act as foundation for legal basis.

**Add link:** Connect link to tool or similar that will act as foundation for legal basis.

**Comment:** Field for comments, searchable.


## 16.2. Edit Agreement

Agreement can be edited via mark actual agreement and choose .

## 16.3. Connect files to agreement

To connect files in ImageVault, open tab Agreement in Organize and choose agreement(s), possible both at import file and afterwards via mark file(s) and initiate Organize.

Organize item Save Cancel



Name

Save Cancel

Categories

Djur

Agreements

Mathias@meriworks.se, Lars@meriworks.se

Mathias@meriworks.se x

Lars@meriworks.se x

- Johan@meriworks.se - 2018-04-12
- Johanna@meriworks.se - 2018-04-12
- Lars@meriworks.se - 2018-04-12
- Mathias@meriworks.se - 2018-04-12
- Peter@meriworks.se - 2018-04-12
- Richard@meriworks.se - 2018-04-12
- Robert@meriworks.se - 2018-04-12

+ Add agreement


Open drop down Agreement and choose agreement(s) to connect to actual file.

It's possible to create a new agreement within same flow via **+ Add agreement** at the bottom of the list.

Via For all items it's possible to connect several files to the same agreement(s) in one sequence.

**For all items:**  Categories

---



Agreements


- Johan@meriworks.se - 2018-04-12
- Johanna@meriworks.se - 2018-04-12
- Lars@meriworks.se - 2018-04-12

## 17. Text video

It is possible to insert one or more text tracks into an uploaded video.

**Note! This functionality requires a cloud solution and that the separate video service is included.**

Select the current video, click **More** and select **Subtitles**.



### 17.1. Create text tracks

To create a new text track, click the **Create a new track button**.

## Edit Subtitles

No track exists for the video. Start by creating a new track.

Create a new track

Select **blank track** and name the text track and select the language. Finish with **Save changes**.

## Edit Subtitles

Create new track from

- blank track
- existing track
- Upload subtitles
- speech to text

Label

Language

Disable track


Save changes Cancel

Click **+ Add new cue** to initialize the first block of text.

Define the desired text.


It is then possible to preview the current video via the red slider and thus decide where you want the text block to start or end. The start and stop of the text block are then edited by dragging the blue start and stop markings.

### Edit Subtitles




Via the **+ Add new cue** or **+** icon, subsequent blocks of text are added and edited in the same way.

### Edit Subtitles




Click **Save** when all text blocks are ready to save the text track.




You can add as many text tracks as desired.

## Edit Subtitles



Open the text track dialog and select **Add new track**.

## Edit Subtitles



Give the track a title, select the language and save.

If you want to create a new track based on an existing one, select existing track. Then a new track is created with the same content as the one you have chosen to copy.

## Edit Subtitles

Create new track from

- blank track  
 existing track

English [cc]  
English [cc]  
 speech to text

**Label**

English (copy)

**Language**

English

- Disable track

Save changes Cancel



## 17.2. Speech to text

Via the speech to text function, it is possible to get a suggestion for subtitles based on what is said in the current video.

Select **speech to text**, select spoken language and click **Start audio analysis**.

### Edit Subtitles

Create new track from

- blank track
- existing track
- Upload subtitles
- speech to text

No speech to text track exists. Create one by selecting input language (optional) and press "Start audio analysis"

Input language

English (United Kingdom)


Start audio analysis

An analysis of content starts.

9%

When ready, click **Save changes**. The result is a proposal for text blocks placed in the timeline. By editing the content of the text track, it is then possible to fine-tune.

### Edit Subtitles



The screenshot displays the ImageVault interface. On the left, a subtitle track is visible with the following text blocks and timecodes:

- 0:07.0 - 0:10.6: You can also use image fault within
- 0:10.5 - 0:12.6: Microsoft Word or PowerPoint.
- 0:12.6 - 0:15.2: Simply click the image hold button and
- 0:15.2 - 0:17.9: you get access to the media library.
- 0:17.9 - 0:19.6: Search in the same way as before.
- 0:22.1 - 0:24.4: And when you found the fast that you want
- 0:24.4 - 0:26.6: to use, simply click where you want them
- 0:26.6 - 0:28.7: and then click on the image to insert.
- 0:36.6 - 0:38.6: So it's very easy to actually use

The video player on the right shows a presentation slide titled "IMAGEVAULT DEMO" with three columns of text and images. The timeline at the bottom indicates the current position is 0:00 / 0:42.

At the bottom right of the interface, there are buttons for **Save** and **Close**.

During the current analysis, it is possible to close the dialogue and return later and create a text track based on the analysis.

Audio analysis in progress

9%



You can wait until the analysis is complete or close this dialog and come back later to create a track from the finished analysis.

### 17.3. Disable track

Via **Disable track**, a text track is deactivated, is not presented as a selection during playback, but the text track remains.

#### Edit Subtitles

---

<b>Label</b>	<b>Language</b>
<input type="text" value="English"/>	<input style="border-bottom: 1px solid #ccc;" type="text" value="English"/>
<input checked="" type="checkbox"/> Disable track	
<input type="button" value="Save changes"/>	<input type="button" value="Cancel"/>

### 17.4. Delete track

To delete a text track, select which text track it is, select **Delete track**.

Edit Subtitles

---

Track: Danish [cc] + Add new cue

English [cc]

Swedish [cc]

Danish [cc]

+ Add new track

Edit track

Delete track

Acknowledge, and the current text track is deleted.

#### Edit Subtitles

---


**Delete track Danish**

Are you sure you want to delete the track **Danish**?

## 17.5. Edit track

To edit a text track, select which text track it is, select **Edit track**.


### Edit Subtitles



Here you can change the language, change the title and deactivate text tracks.

## 17.6. Export track

An existing subtitle track can be exported, select the current track, select Export subtitles.



Then select the desired format.

### Edit Subtitles

#### Export subtitles

#	Title	Language	Cues	Vtt	Srt
1	English (auto)	en	10	<a href="#">↓</a>	<a href="#">↓</a>

## 17.7. Import track

Via Upload subtitles, it is possible to insert and link an existing text file.

### Edit Subtitles

Create new track from

- blank track
- existing track
- Upload subtitles

 Upload subtitles

- speech to text


Label

Svenska

Language

Swedish


Click Upload Subtitles. Select file and upload.



A new text track is now available for current video.


## 18. Delete files

To delete a file, simply select the file by a single click on the file icon in the file display area. Press the **Delete** button located at the top right of the screen.




Delete button

A user dialog window will be displayed stating that the operation cannot be undone once completed. Press **Delete** to continue or **Cancel** to abort the operation and keep the file.




### Delete file user dialog

If several files are marked, they will be presented as a list. File used will be indicated and there will occur a possibility to exclude file from delete.



## 19. Area Of Interest

When uploading files in ImageVault will there be calculated an Area Of Interest. This point will be used as proposal for starting point when using the editor.




In order for area of interest to be selected, it is required that the selected format has both height and width and is of type Scale to fill.

Area of interest is generated only in ImageVault's cloud solution.

## 20. Advanced settings


The advanced setting can be accessed by pressing the **Advanced settings** button found top right on the main user interface.

Advanced settings



### Advanced settings

The settings are divided into four areas; global rights, metadata definitions, media formats and categories.




### Settings

## 20.1. Global rights

The global rights setting tab lists the access rights for all administrators in the system. ImageVault uses three different administrator levels. These are administrator, media format administrator and category administrator. The administrator holds the most privileges and is a super user. The media administrator can only modify or add media formats and the category administrator can only modify or add the categories.

### Advanced settings



Global Access Rights

Name	Access	
Lars Contribute	Category administrator	Edit
internal\lars	Administrator	Edit
Lars FullControl	Administrator	Edit


#### Global access rights

The administrator can perform all administrative duties. This includes:

- create vaults
- access all vaults
- make other users administrators
- add and modify categories
- add and modify media formats

The category admin can only administer categories, such as create new or modify an existing category. The media format administrator can only modify existing media formats or create new.


The global right tab lists all administrators and their respective rights. Press **Edit** to modify or **Add** to add a new administrator. The user name can be added as a partial username. The system will automatically make a wildcard search based on the added name and present matching users and groups as a dropdown menu.



#### Add or modify user



Press **Add Role** to add a user role. Press **Save** to save the user role.  
 A user role can be removed by pressing the x next to the user role.



Add and remove roles

ImageVault uses federated identity for users. All users and groups are stored outside of the ImageVault system. Contact your system administrator for more information.

Note! Users and groups cannot be created in ImageVault. They have to be created in the underlying user system.

## 20.2. Metadata definitions

Metadata are properties that are associated with a file. The metadata can be information that was added by a digital camera, like what aperture that was used when the image was shot or if the flash was fired or suppressed. Metadata can also be information added by a user like keywords or copyright information.

Metadata definitions are templates that define what metadata tags should be read automatically during file import or what additional metadata information that can be added to a file by the user during upload.

### Advanced settings

Global rights
Metadata definitions
Media formats
Categories

Metadata definitions
Add

Name	Description	Type	
Alt-text	Alternative text	Text	<a href="#">Edit</a>
Date	Date, file creation date	Text	<a href="#">Edit</a>
Description	Description	Text	<a href="#">Edit</a>

#### Metadata

Press **Edit** to modify an existing metadata definition or **Add** to add a new metadata definition. Enter a name and description followed by a data type for the field.

Name	Description	Type
<input type="text"/>	<input type="text"/>	Text
Mappings <a href="#">Add mapping</a> <input type="checkbox"/> Read only <input type="checkbox"/> Multilingual		Choose symbol
<input type="button" value="Save"/> <input type="button" value="Cancel"/>		

### New metadata

The following types are available:

**Text** A normal text field with max 250 characters

**Date and Time** Date and/or time. The server date and time system will be used.

**Number** A numerical value (integer)

**True/False** A Boolean value


**Long text** A normal text field with a maximum of several thousand characters

**Decimal** A numerical value (float)

A metadata definition can be locked by selecting read only. A field can be allowed to contain information in multiple languages by selecting multilingual.

#### 20.2.1. Add mapping


Press **Add** to add a metadata tag to the metadata definition. The system will automatically look for the selected metadata tag during import of a media file and add the value of the tag to the metadata for the file.



#### Add metadata

Select a metadata tag from the list and press **Add** to add the metadata.

It is possible to add multiple metadata tags, but the first tag that is found within the media file will be added to the metadata for the file. The picture below shows an example with multiple tags. The system will not look for the brightness tag if the aperture tag is found.



#### Multiple metadata tags

Press **Save** to save the new metadata definition or **Cancel** to discard.

**Note!** Metadata definitions cannot be removed once they are in use by an uploaded file.

**Note!** The selection of metadata tags available for mapping will increase when new media files, which contain new tags, are uploaded to the system.

## 20.3. Media formats

The media formats tab lists all media formats. It is also possible to see how an existing media format is setup in the list view. A media format can be used to easily make exported media files comply with a standard size or file format.

### Advanced settings

✕

Global rights
Metadata definitions
Media formats
Categories

Add

Name	Width	Height	Dpi	Ratio	Format	Metadata	Compression
Export	400	400	72	1:1	Original	Embed Xmp	<a href="#">Edit</a>
200x200	200	200			WebSafe		<a href="#">Edit</a>

### Media formats

Press **Edit** to modify an existing media format or **Add** to add a new format.

Add

Name	Width	Height	Dpi	Ratio	Format	Metadata	Compression
<input style="width: 100%;" type="text"/>	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	1	WebSafe ▾	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>

Save
Cancel
Delete

### Add media format

The following properties are displayed:

- Name    The name of the conversion setting
- Width    The width of the image
- Height    The height of the image
- DPI    Dots per inch. The image resolution per square inch
- Ratio    The image ratio, width/height
- Format    The file format of the converted file
- Metadata    Selecting **Embed Xmp** exports custom metadata
- Compression    The compression ratio. This field is only used if the file format is jpeg or websafe

See examples below:

An example conversion format called “600\*400” has the following settings:  
 Width=600, Height=400, Ratio=3:2, Keep Ratio=No, Format=jpeg (80%)

An image with the size 800\*600 pixels will first be cropped according to the ratio setting 3:2. This means that the image height is cropped to 533 pixels. The image is then resized to the size settings width 600 pixels and height 400 pixels and converted to jpeg with the image quality set to 80%.





Image conversion 600\*400

Another example format called “Web” has the following settings:  
 Width=300, Ratio=1:1, Keep Ratio=Yes, Format=png

An image with the size 800\*600 pixels will first be cropped according to the ratio setting 1:1. This means that the image height and width is cropped to 600 pixels respectively. The image is then resized to the size settings width 300 pixels and height 300. The height export value is automatically set to 300 to enforce the keep ratio setting of 1:1 and the image is converted to png.



### Image conversion Web

The ratio setting will supersede the keep ratio setting if both settings are added.

The available file formats are:

**Websafe** The websafe format setting will keep the original format for a file if it is jpeg, png or gif. Other formats, i.e. Photoshop, will be converted to jpeg or png. A CMYK file will be exported as RGB.

**Jpeg** The file is converted to jpeg


**Tiff** The file is converted to tiff

**PNG** The file is converted to png

**GIF** The file is converted to gif

**WebP** Provides a compressed file with maintained quality.

**Original** The file retains the same file format it was originally uploaded with



### File formats

The image compression value is entered as a value 0-100 (%). A high value will produce a high quality image, often very close to the original image, but also a larger file size. A small value will produce a small file size, but might lead a low quality image due to compression artefacts.


**Note! It is not possible to edit or delete a media format once a media file has been published using this format.**

### 20.3.1. Export metadata

If Embed Xmp is selected under Metadata, it means that values for custom metadata will follow if the file is downloaded, published, or shared with the current format.

**Note! The supported formats are Jpeg, Tiff and WebP.**


Example, downloaded file:



## 20.4. Categories


The categories tab displays all categories. New categories can also be added by pressing the plus sign below each category column.

Sub categories will only be visible if the main category is selected.



### 20.4.1. Rename or delete a category

Select a main category by clicking on the category name. The category will become highlighted. Either press the x to delete the category or press the page symbol to edit the name. Change the name and commit the change by pressing the check mark symbol. Cancel the operation by pressing the x.



A warning will alert the user prior to deleting a category that is in use.

### 20.4.2. Add main or sub level category

Press the main category plus sign to create a main category. Create a second level sub category by selecting a main category and then press the second level sub category plus sign. Select the second level sub category and press the plus sign for the third sub category level to create categories in the third and last level.

### 20.4.3. Add a category from the main user interface

Categories can also be added by pressing the plus sign at the bottom left side of the main page.




Select **Category**. This will open the categories tab in the advanced settings.



It is also possible to add categories on the fly during import.

### Organize item Save Cancel



Alt-text

Beskrivning

**i** information  
Although dogs look very different from people,

**s** Stop

Categories  
Select categories...  
▶  Djur  
▶  Fordon  
▶  Naturbilder  
▶  Nature Pictures  
**+ Add category**

**Add**

Add category


Press the plus sign at the bottom of the category list. This opens the category settings dialog described previously in this chapter. Add a new category, close the settings dialog and select the new category.

## 21. Vault administration

All users with sufficient privileges can add or modify vaults.

### 21.1. Add vault

Add a new vault by pressing the plus sign on the bottom left side of the main page. Press **Vault**.



This will start the vault creation guide. Start by giving the vault a name and a description.

Create new vault ×

**General** | Access rights | Metadata definitions

Name

Description

Trace file usage on publish (required) ⓘ

Save and close

### Vault general settings

Switch to the second tab to add access rights. Add other users or groups to grant them access rights.

### Create new vault

General
Access rights
Metadata definitions

Add user or group

With Lars Contribute

None Lars FullControll

Lars View

Lars@meriworks.se

LarsDahlin

Save and close

### Vault access rights

The user or group name can be added as a partial name. The system will automatically make a wildcard search based on the added name and present matching users or groups as a dropdown menu.

Select a suitable access right in the dropdown menu.

Name	Access rights	Remove
Lars@meriworks.se	<div style="border: 1px solid #ccc; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">View</div> <div style="background-color: #0070c0; color: white; padding: 2px;">View</div> <div style="padding: 2px;">Contribute</div> <div style="padding: 2px;">FullControl</div> </div>	<a href="#" style="color: #0070c0; text-decoration: none;">Remove</a>

### Add user

The following settings are available:

None	No access
View	See content, but not add
Contribute	Upload content, delete content and modify metadata
FullControl	Upload content, delete content, modify metadata and modify vault settings

It is possible to remove a user by pressing the Remove link.

Switch to the third tab to modify metadata definition settings for the vault. ✕

## Create new vault

General
Access rights
Metadata definitions

Select global metadata definitions

*Use the administration dialog Advanced settings to create and edit global metadata definition*

Name	Symbol	Description	Type	Required
<input type="checkbox"/> Alt-text		Alternative text	String	<input type="checkbox"/>
<input type="checkbox"/> Date		Date, file creation date	String	<input type="checkbox"/>
<input type="checkbox"/> Description		Description	String	<input type="checkbox"/>
<input checked="" type="checkbox"/> Information	ⓘ		String	<input type="checkbox"/>
<input type="checkbox"/> Keyword			String	<input type="checkbox"/>

Save and close

### Vault metadata settings

Select metadata definition that will be used for this vault. Tick the checkbox to the left of the metadata to activate the metadata. It is also possible to force the metadata definition by ticking the checkbox to the right of the metadata. This will make the selected metadata required, meaning that the user must add this information during upload.

Create the vault by pressing the button **Save and close**.


## 21.2. Modify Vault

Select an existing vault in the vault list. Press the cogwheel symbol located at the bottom left of the screen.



This will open the vault settings.

Modify vault

A screenshot of the 'ImageVaultMediaGallery' settings form. The form has a title bar with a close button (X) and three tabs: 'General', 'Access rights', and 'Metadata definitions'. The 'General' tab is selected. Below the tabs, there are two input fields: 'Name' with the value 'ImageVaultMediaGallery' and 'Description' which is empty. Below the 'Description' field, there is a checkbox labeled 'Trace file usage on publish (required)' with an information icon (i) to its right. At the bottom of the form, there are two buttons: a red button labeled 'Delete this vault' and a blue button labeled 'Save and close'.

Modify the vault name or description. Proceed to the next tab to make more modifications.


×

### ImageVaultMediaGallery

---

General **Access rights** Metadata definitions

Add user or group

 Enter name or group...

Who has access

Name	Access rights	Remove
Lars@meriworks.se	View	Remove
demosers	View Contribute FullControl	Remove

**Delete this vault** **Save and close**

### Vault access rights

Add or remove users or modify access rights. Proceed to the last tab to modify metadata.


×

### ImageVaultMediaGallery

---

General Access rights **Metadata definitions**

Select global metadata definitions  
Use the administration dialog Advanced settings to create and edit global metadata definition

Name	Symbol	Description	Type	Required
<input checked="" type="checkbox"/> Alt-text		Alternative text	String	<input type="checkbox"/>
<input type="checkbox"/> Description		Description	String	<input type="checkbox"/>
<input checked="" type="checkbox"/> Information			String	<input type="checkbox"/>
<input type="checkbox"/> Keyword			String	<input type="checkbox"/>

**Delete this vault** **Save and close**

### Vault metadata

Select or unselect vault metadata by using the checkbox located to the left of the metadata definition.

Press **Save and close** to commit the vault modification.

A vault can be deleted by pressing the **Delete this vault** button. All vault content will also be deleted.


## 22. Collection administration

Only users with administrator privileges can add or modify collections.

### 22.1. Add collection

Add a new collection by pressing the plus sign on the bottom left side of the main page.

Press **Collection**.



This will start the collection creation guide.

×

## New collection

---

Enter a name for the collection.

Name of your collection

Cancel
Save and close

### 22.2. Modify collection

Select an existing collection in the collection list. Press the cogwheel symbol located at the bottom left of the screen. There is possibility to change name or delete collection.

×

## Edit collection

---

Enter a name for the collection.

Demo

Delete

Cancel
Save and close






## 23. Administration of users

When ImageVault is set up, a "superuser" is created with administrator rights. Login information for that user is provided in connection with the submission of an installed ImageVault.

To create new users, click Register new user in the login dialog.



Name, password and email address must be stated, as well as verification that it is not a robot.




Created user has no permissions, this is set by the administrator, see chapter Global rights and Vault administration.

## 24. Signing out from ImageVault

To sign out from ImageVault you have to press the **Sign out** button.

Sign out




Sign out from ImageVault

## Appendix I, connection EPiServer

### 25. Start

To be able to use ImageVault an account in EPiServer with editing permissions is needed. Basic knowledge of page creation and editing in EPiServer is also needed. More information on page creation and editing can be found in the EPiServer Editor's Manual. It's possible to access ImageVault directly without functionality for insert files.



See chapter 3 and following.


#### 25.1. Insert media files from ImageVault

ImageVault is integrated in EPiServer and is used instead of the ordinary EPiServer image handling function. Image Vault also offers several new page properties for display of images.


ImageVault can be used to publish media files in either a normal text editor field or the EPiServer page properties Media or Medialist. The visual appearance on a page, of the Media and Medialist page properties, will differ greatly between installations due to EPiServers high degree of configurability. The method for adding or modifying the media files will however be the identical to the description below.

## 25.2. Add images to the text editor field


The text editor field is a common text field which can hold both text and images. ImageVault replaces the built in media file insert method found in EPiServer.

Use the insert button to insert media files: **Insert with ImageVault** .

Insert with ImageVault



This will open the ImageVault user interface.



ImageVault user interface

The user interface is described more thoroughly in chapter “User Interface”.

Select an media file and press the button **Insert**. The system will present the user with a number of predefined media formats. A media format can be setup to both resize an image and also to convert the image file format.





Image conversion formats

The image will be placed on the page. The image size can be altered after the insert. Use the image editor described in the next section.


**Note!** Avoid resizing the image using the image resize handles within the text field. This might distort the image and will not alter the image size. Use the ImageVault image editor instead.

### 25.2.1. Image editor


The image editor can be started by selecting an inserted image and pressing the edit button

 found in the text field menu .

Edit button




## Edit media



When the editor is opened, the image is shown zoomed- and cropped according to previous operations (if any).


Use the zoom slider to zoom in or out. It is also possible to use the mouse scrollwheel to zoom.

Move the image around by clicking and moving the mouse. The image can be adjusted on a pixel by pixel basis using the arrow keys to pan up/down or left/right, if precise adjustment is needed.

The width and height can be modified either by using the size settings fields. Initially the crop area has a locked aspect ratio, so if you modify the width- or height, the aspect ratio will be maintained. In order to define the crop area freely, you will have to unlock the aspect ratio by clicking the blue link-icon  in the size setting field.

When the aspect ratio of the crop area is unlocked, you may modify the crop area by dragging the resize handles.



With aspect ratio unlocked, the link-icon is broken.  You may lock the aspect ratio at any time by clicking the link-icon again and the new aspect ratio will be maintained.

Press the **Ok** button to commit the change or cancel to abort. The top right x will also abort the edit.




## 26. ImageVault page properties

Image Vault adds two new types of page properties; Media and Medialist.


### 26.1. Media property

The Media property is an EPiServer page object that can be added to a page and can be used to select either an image or a movie. Press the plus sign or press **Insert new file** to add a media file. This will open the ImageVault user interface. Locate and select the file in ImageVault. Selection can be performed with single click on a media file. Press **Insert** to add the file.



Insert image



The file can be removed by pressing **Remove file**.



Media property

## 26.2. Media list property

The Medialist property is an EpiServer page object that can be added to a page and can be used to select single or multiple images. The Medialist object is typically used for an image gallery or a list of files. Press the plus sign or **Insert new files** to add a single or multiple image files. Locate the image in ImageVault and press **Insert** to add the media file.



Media list property

### 26.2.1. Batch insert images into a Medialist

It is possible to insert multiple images into a Medialist by using the functionality Mark several files. See chapter **“Working with several files simultaneously”**


### 26.2.2. Rearrange Medialist images

The images in the Medialist can be rearranged by simple drag and drop. Press and hold an image and drop it to a new location. The sort order is from left to right where the leftmost image will be the first image in the Media list.



Rearrange Medialist images


Images can be removed either by pressing **Remove all images**, which will delete all images in the Medialist, or by pressing the X on individual images.



Remove image

### 26.2.3. Edit images in a Media or Medialist object

Images in a Media or Medialist object can be modified in size in a similar way as in the text editor. Press the edit symbol on the image.



Edit image

This opens the image editor.

Edit media

---



width	height
300	200

100%

### Image editor

The image can be modified in the same way that is described in the text field editor found previously in this chapter, see section “Image editor”.


**Note!** The Media and Medialist page properties have settings that under certain conditions will prevent a user from resizing the image using the size setting fields. More information about this can be found in next section that handles administration.

## 26.3. EPiServer Gadget

In addition to the above it is also possible in EPiServer to use the ImageVault Media Gadget to find and select files.


Open up the asset pane and use the ImageVault Media Gadget to search for the files to be published. The gadget will offer search based on a combination off categories and text.

Select the files to publish and simply drag and drop it to the desired Media property.




*Drag and drop file to Media Property*

If the property is placed within a block, the block has to be opened first by clicking in it.



## 27. Administer Media or Medialist page properties

The Media and Medialist page properties have administrative settings which controls how an image can be edited and how it will be published. Navigate to Admin mode and Page Type settings.



*Administration mode*

**Note! Not all users have access to the administrative settings.**

Select which page to change settings for. The different page elements that the page consists of are displayed in a list.

Setting links

↑	↓	MediaProperty	Media	Content	No	MediaProperty
↑		MediaListProperty	MediaList	Content	No	MediaListProperty

*Page properties list*

Press the settings link to administer a page property. This will open the Edit Property page. Activate the Custom Settings tab.

### Edit Property

Common Settings
Custom Settings

**Media**

Use global settings
 Use default settings ▾
[Manage global settings](#)

Use custom settings

**Settings**

---

These settings adjust the preview size of the property and default display size if not overridden in the view.

Width


Height

Resize mode  ▾

*Custom settings*


Values in the width and height settings will lock the image size to this specific value. A filled out value will restrict the editor from changing the value in the image editor, whereas a blank field will permit the editor to change the value.

The resize mode is either Scale to fit or Scale to fill. See example below. The image in the example is 600 pixels wide and 400 pixels in height, and has an aspect ratio of 1.5:1.




The examples show an image where the width and height settings are both set to 300 pixels.

Width	<input type="text" value="300"/>
Height	<input type="text" value="300"/>




#### Scale to fit

The image will be scaled to fit within the given width and height boundaries.



#### Scale to fill

The image will be scaled in such a way that it will fill the entire area. This will in most cases lead to some degree of image cropping.



The image will be scaled to a suitable format based on the width and height aspect ratio. Both height and width values must be specified.

**A developer can override the settings set in admin mode when creating the page template. The size settings will however still be used while editing the image.**



## Appendix II, connection SharePoint

### 28. Start

To be able to use ImageVault in SharePoint an account with editing permissions is needed. Basic knowledge of page creation and editing in SharePoint is also needed.

Editing Mode in SharePoint is used to create and edit pages. Image Vault is available during editing.

It is also possible to access ImageVault via Settings → Site contents:

The screenshot shows the SharePoint 'Site Contents' page. At the top, there is a blue navigation bar with 'Return to SharePoint', 'Information', and 'Configuration'. Below this, the main content area is titled 'Welcome to ImageVault Connect for SharePoint'. It includes instructions to visit the configuration page and the ImageVault UI. A button labeled 'Open UI' is shown with a blue arrow pointing to the text 'Chose Open UI'. The 'Site Contents' area displays several items: 'add an app', 'Documents' (0 items, Modified 3 months ago), 'ImageVault Connect' (highlighted with a blue arrow and the text 'Chose ImageVault'), 'MicroFeed' (2 items, Modified 3 months ago), and 'Site Assets' (1 item, Modified 3 months ago). A settings menu is open on the right, showing options like 'Office 365 settings', 'Site contents', and 'Getting started'.

## 28.1. Insert media files from ImageVault


ImageVault is integrated in SharePoint and used as complement or replaces the ordinary SharePoint image handling function. Image Vault also offers several new web parts for display of images.

ImageVault can be used to publish media files in either a normal text editor field or the web parts ImageVault Image, ImageVault Gallery and ImageVault Slideshow. The method for adding or modifying the media files will however be the identical to the description below.


## 28.2. SharePoint text editor

The text editor field is a common text field which can hold both text and images. Access ImageVault Media in the toolbar and then press Open ImageVault.

Insert item from ImageVault



This will open the ImageVault user interface.



ImageVault user interface

Select an media file and press the button **Insert**. The system will present the user with a number of predefined media formats. A media format can be setup to both resize an image and also to convert the image file format.





Image conversion formats


The image will be placed on the page. The image size can be altered after the insert. Use the image editor described in the next section.

Note! Avoid resizing the image using the image resize handles within the text field. This might distort the image and will not alter the image size. Use the ImageVault image editor instead.


### 28.3. Image editor

The image editor can be started by selecting an inserted image and pressing the edit

button  found in the tool bar in Tab Image.



Edit an ImageVault Media



When the editor is opened, the image is shown zoomed- and cropped according to previous operations (if any).

Use the zoom slider to zoom in or out. It is also possible to use the mouse scrollwheel to zoom.

Move the image around by clicking and moving the mouse. The image can be adjusted on a pixel by pixel basis using the arrow keys to pan up/down or left/right, if precise adjustment is needed.

The width and height can be modified either by using the size settings fields. When the aspect ratio of the crop area is unlocked, you may modify the crop area by dragging the resize handles.

Press the **Ok** button to commit the change or **Cancel** to abort. The top right x will also abort the edit.



## 29. SharePoint web parts

Image Vault adds three new types of web parts; ImageVaultMedia, ImageVault Gallery and ImageVault Slideshow.

### 29.1. ImageVaultMedia


The ImageVault Media is an SharePoint web part that can be added to a page and can be used to select either an image or a movie.

Press the **Chose image** to add a media file. This will open the ImageVault user interface. Locate and select the file in ImageVault. Selection can be performed with single click on a media file. Press **Insert** to add the file.





Insert image






### Inserted image

The editor can be initiated using the edit button  to allow the selected image to be edited as described in chapter 3.1.1 above. If an other image is wanted, use New image button to replace the selected image. If the selcted image should not be used, it can be removed using the remove file button . Once any changes are done the could be saved using the Save button.


**Tip!** Alternative text provides a textual alternative to non-text content in web pages

## 29.2. ImageVault Gallery

The ImageVault Gallery web part is a SharePoint page object that can be added to a page and can be used to select single or multiple images. The ImageVault Gallery object is typically used for an image gallery or a list of files.





Images in ImageVault Gallery could be chosen in two ways, manually or by filter.




Via advanced settings there it is possible to define size for each item in the gallery and set a personal name on actual gallery.

### 29.2.1. Chose files manually

Chose files manually, opens the ImageVault interface to allow images to be chosen by either using the checkbox or drag to item to batch area. Once selected the items can be inserted to the ImageVault Gallery via Insert button.



Inserted items could be edited, removed one by one or all together. It's also possible to add more items. Edit item is described in chapter 3.1.1 above. The images in the ImageVault Gallery can be rearranged by simple drag and drop. Press and hold an image and drop it to a new location. The sort order is from left to right where the leftmost image will be the first image in the ImageVault Gallery.






### 29.2.2. Chose files via filter


Choose files by filter, opens a dialog where it's possible to choose items via creating a filter, i.e. Vault, Category or Metadata. When filter is chosen, number of available items will be presented.



You have chosen the following search criteria for your gallery.




There is no possibility to see or edit items choosed via filter.



Via advanced settings there it is possible to define the size for each item in the gallery and set a personal name on actual gallery.

## 29.3. ImageVault Slideshow

Via ImageVault Slideshow it is easy to define a Slideshow. Content is added in the same way as for ImageVault Gallery, described above.



### Advanced settings

Via advanced settings there it is possible to define how Slideshow will be presented.

#### Random order

If checked items will be presented in random order until all items have been presented once. Default means that the items will be presented in the the sort order selected from left to right where the leftmost image will be the first image in the ImageVault Slideshow.

#### Slide duration

Time that each item will be presented

#### Animation speed


Time for change from one item to next

#### Animation type

Note! Animation type is not available in this version.

## 30. Define web part

The size of actual web part could be defined when editor initiated.



Define height and width on web part.

For ImageVault Media will actual picture be in this size.

For ImageVault Gallery will actual gallery be in this size.


For ImageVault Slideshow will actual slide show be in this size.

## Appendix III, Connection Office

### 31. Start


ImageVault connect för Office is an additional service developed to make your media files accessible in Microsoft Office. In an easy and effective way, you can use selected files in ImageVault and publish these in your word or power point documents.

Files displays within a gadget and could be selected via category and / or free text search.



### 31.1. Insert files from ImageVault to a Word document


Via Infoga and  **Mina Program** select ImageVault.



In actual document, place cursor where you want file inserted, mark file and choose format.




Lastreamoffshore inför sin senaste start på Kalmartravet.




It's possible to edit inserted file via word's editor.

### 31.2. Insert files from ImageVault in PowerPoint document.

Via Infoga and  **Mina Program** select ImageVault.



In actual document, place cursor where you want file inserted, mark file and choose format.




It's possible to edit inserted file via word's editor.

## Appendix IV, connection InDesign


### 32. Start

ImageVault connect for InDesign is an additional service developed to make your media files accessible in InDesign. In an easy and effective way, you can use selected files in ImageVault and publish these in your InDesign documents. Needed is an account in ImageVault.

Initiate connection to ImageVault via **Window** → **Extensions** → **ImageVault**.



Click on **Add now**, define url towards ImageVault and click on **Login**.




Close popup window regarding access granted.



Access to ImageVault by pin code was successfully granted.

*You may close this window now...*

Login with your Imagevault account.






### 32.1. Insert files from ImageVault to InDesign


Files displays within a gadget and could be selected via category and / or free text search



Place cursor where you want file inserted, click on Insert.



Preview will present file in an larger format, and hover over file will present file data, metadata etc.



## Appendix V, connection SiteVision

### 33. Start


To be able to use ImageVault in SiteVision an account with editing permissions is needed. Basic knowledge of page creation and editing in SiteVision is also needed.

Editing Mode in SiteVision is used to create and edit pages. Image Vault is available during editing.

Logon will be initiated when module is accessed, see chapter Insert files from ImageVault to SiteVision above.




Activation is required. Go to <https://iv5test.azurewebsites.net/Activate/PU94S0> to activate




The image shows a login form for ImageVault. It features the ImageVault logo at the top, followed by the text "imagevault". Below this are two input fields: "Username" and "Password". There is a checkbox labeled "Remember me" and a blue "Login" button at the bottom.

### 33.1. Insert files from ImageVault to SiteVision


Open Modules, choose Image and media → ImageVault Asset





An interface towards ImageVault will be presented where it is possible to choose file to import via klick on file.



To see file information, metadata etc, move mouse pointer over image.




Press OK and actual file is ready for publishing.




### 33.2. Select files from ImageVault

Initially all files that user have rights for in ImageVault be presented.




Files are selected via category and/or free text search.





### 33.3. To work with selected file

It's possible to set format for choosed file, avaiable are formats defined in ImageVault, se chapter "Mediaformat".




(This format will set max height to 500 px whit ratio 16:9)

Edit will initiate the editor.




The editor will introduce possibility to crop, zoom and select part of image. When ready, click OK and changes will be saved.

Crop and resize asset



Open ImageVault will give access to ImageVault and all its functionality.



It's possible to connect alternative text on published file, either metadata field or via defined text.

#### Alternative text (alt text)

Get from metadata in selected media

User - Alt-text

Specify custom

Alt-text  
Dog, laying on a blanket..

Media caption could be defined in the same way as for alternative text, presented direct under published media.

#### Media caption (displayed below media)

Get from metadata in selected media

User - Information

Specify custom

Caption  
Dog, laying on a blanket..

Media interaction will state action at click on published file.

#### Media Interaction

##### On mouse click

Do nothing

Page in SiteVision

/Meriworks Externwebb/Dolda sidor/Safari

Custom URL


www.imagevault.se



Via Media optimizing it's possible to define that media not will presented until the user has scrolled and optimize for small/retina screens.

**Media optimizations**  
 Load if needed (for media that are not seen until the user has scrolled)  
 Optimize for small/retina screens (use srcset)


Media format for puff will state format when file is used as puff.

**Media format for puff**  
Format: 200x200 1:1  
Width: 200 px  
Height: 200 px  
Auto crop: 1:1  


Remove will clean actual module, ie. File removed.


### 33.4. Insert video

Video is inserted and published in same way as image. Video files are idikated in the ImageVault intreface whit a vide ikon.



Video could be edited via change where video should start and/or stop.

Crop and resize asset



For video there is no possibility to define Alternative text or define Media interaction.


## Appendix VI, ImageVault Media Gallery

### 34. Start

ImageVault Media Gallery is an additional service developed to make selected parts of your image library accessible for everyone. In an easy and effective way, you can use selected files in ImageVault and publish these for anyone you like.

As a user, you can choose what to display by using categories and / or free text search on eg. metadata. The user can collect multiple files at once and choose to download them or publish on social media, (Facebook, Twitter or LinkedIn). The same possibility is available for individual files.

## 34.1. Interface




Your files can be sorted alphabetically based on file name, or latest uploaded in ImageVault.


Easily change size of the files displayed through toggle on this button.



Roughly search among your files through Categories.




Narrow your search further by using the free text field.




It's possible to search by using the free text field without combining it with categories.

## 34.2. Preview

When you click on a file you'll get to the preview mode. All information connected to the selected file will be presented here. You can also add file to My selection or share file on social media within this view.




If the files position is known and added as metadata Show on map will show. Clicking on this button will present a map with the current position.



### 34.3. My selection

In My selection it's possible to collect a number of files to work with. My selection will only exist during your current session and cannot be saved for later on.

Add files to My selection by click on ikon, or click on Add to my selection in the preview mode.






Content within My selection could be downloaded or published on social media.

### My selection


This is My selection of images.  
Here you collect a number of images that you want to download or share.

Download all

[Web](#) [High](#) [Original](#) [Remove all images](#) Share my selection: [f](#) [t](#) [in](#) [e](#)



## 34.4. Create link

Via share icon,  a link can be created that can then be shared. Works both for individual file via Preview and for all content in My Selection.



## 34.5. Download files

Use the preview mode to download single files. Go to My selection to download multiple files at the same time. The user can choose between three predefined formats. Downloading several files at once will result in a .zip file.

### Download all



Download require acceptance of terms of use.


Thank you for downloading from our site.  
Before using images and movies, you must agree to our terms of use.  
If you publish or otherwise distribute downloaded content, the photographer and origin must be listed as follows:  
Name of Photographer / ImageVault Media Gallery.



Terms of use has to be approved at download.


### 34.6. Remove files

Files in My selection could be removed, one by one, or all together. The files will only be removed from My selection, not from ImageVault Media Gallery.



### 34.7. Administrate ImageVault Mediagallery


Administrators interface is protected by login. At installation will a super user be defined which could be used first time.



A login form with a grey user icon placeholder at the top. Below it is a text input field labeled "Användarnamn". Underneath is a yellow password input field with a masked password "\*\*\*\*\*". There is a checkbox labeled "Kom ihåg mig" and a blue "Logga in" button at the bottom.

Logotype could be connected.


#### Logotyp



A configuration field for the logotype. The text input field contains the path "/Content/images/imagevault-logo.png". Below the field is a blue banner with the ImageVault logo and the word "imagevault" in white text.

Define Collection in ImageVault to use.

#### Samling



A dropdown menu for selecting a collection. The current selection is "Demo". The dropdown list contains the following options: "A", "B", "C", "Demo" (highlighted in blue), and "New collection".

For Title and Description, connect to user defined metadata definition in ImageVault. Set value via Organize that you want to be presented as Title and Description when using preview.

**Rubrik**

Titel (User) ▼

**Beskrivning**

Beskrivning (User) ▼



**Igelkotten Igge** f

En inspirerande sommarbild från en sprudlande sommar.

Information: Testar globalt gränssnitt.  
 Kommentar: Detta är en test av det globala gränssnittet som Väst Sveriges turistråd har beställt.  
 Fotograf: Lars Dahlin  
 Varning: ~~Får ej användas för kommersiellt bruk.~~  
 Categories: Djur, Natur, Sommar

**Metadata att visa**

- Antal (User)
- Beskrivning (User)
- Global användning (User)
- Keyword (User)

- Defined metadata
- Information (User)
  - Kommentar (User)
  - Fotograf (User)
  - Varning (User)

Under “Metadata att visa” defines metadata that should be presented via preview.

Under “Kategori att visa” defines categories that should be available for selection.

### Kategorier att visa

Sommar
Vinter

### Defined category

Människor
Djur
Natur
Fordon
Byggnader



To initiate the map function, the latitude and longitude values are selected.

<b>Latitud</b> Gps.Latitude (Gps)	<b>Longitud</b> Gps.Longitude (Gps)
<b>Latitud referens</b> Gps.LatitudeRef (Gps)	<b>Longitud referens</b> Gps.LongitudeRef (Gps)

You can choose between Swedish or English as a language. Auto gives browser language.

### Tillgängliga språk

English
Auto
Swedish
English

There are a number of checkboxes that control how a visitor can use the content, from being able to just view to download and distribute content.

- Tillåt nedladdning av video
- Tillåt nedladdning av bilder
- Visa "My selection"
- Visa dela-knappar

- Allow video downloads**
- Allow download of images**
- Show My selection**
- Show Share buttons**


“Bildformat”, here defines format used at download.

Bildformat						
Namn	Bredd	Höjd	Ratio (b:h)	Format	Kvalitet	
Web	2400	1800		WebSafe	80	
High	3500	2400	1:1	WebSafe	80	
Original	12000	10000	1:1	WebSafe	100	

Title, showed as browser tab.

**Titel (syns bl.a i webbläsarens flik)**

MediaGallery Test version



The content of defined metadata is displayed when you hover over the image.

**Bildbeskrivning i sökresultat**

Nyckelord (User)



There are a number of HTML-texts to define:

**Terms of use:** Text for Terms of use, to be approved at download.

Terms of use - Engelska

A Normal Text ▾ Svart ▾ **Fet** *Kursiv* Understruken Small “ ☰ ☷ ☹ -E ✎ 📧

Thank you for downloading from our site.  
Before using images and movies, you must agree to our terms of use.  
If you publish or otherwise distribute downloaded content, the photographer and origin must be listed as follows:  
Name of Photographer / ImageVault Media Gallery.

**My selection:** Describing text in the head of My selection.

My selection - Engelska

A Normal Text ▾ Svart ▾ **Fet** *Kursiv* Understruken Small “ ☰ ☷ ☹ -E ✎ 📧

This is My selection of images.  
Here you collect a number of images that you want to download or share.

## My selection

Share and save your favorite images. Share with someone on social media or save them by downloading your selection.

**Cookies:** Describing text about using cookies.

Cookies - Engelska

A Normal Text ▾ Svart ▾ **Fet** *Kursiv* Understruken Small “ ☰ ☷ ☹ -E ✎ 📧

A cookie (or cookie) is a small text file that the website you visit requests to save on your computer.  
Cookies are used on many websites to allow a visitor access to various features.  
You can use the information in the cookie to follow how users surf.

**Start page:** Describing text found on Start page.

Start page - Engelska

A Normal Text ▾ Svart ▾ **Fet** *Kursiv* Understruken Small “ ☰ ☷ ☹ -E ✎ 📧

Welcome to our gallery **Naturbilder**.  
Here we will present a selection of, we think, at least, the best scenery.  
You can share or download our photos, what we require is that you accept our terms of download.  
Have a nice stay in our gallery!